


Pouzdrové řetězy - pomaloběžné

Bushing chains
 Buchsenketten
 Chaines tubulaires

ČSN 02 3329
 DIN 8164



| Označení řetězu DIN | tovární | Rozteč p mm | b ₁ min mm | d ₁ max H 11 mm | d ₂ max mm | g max mm | s ₁ max mm | s ₂ max mm | l max mm | Plocha kloubu | | Hmotnost | |
|------------------------|---------|-------------------|-----------------------------|-------------------------------------|-----------------------------|----------------|-----------------------------|-----------------------------|----------------|----------------------|----------------------------|-----------|-----------|
| | | | | | | | | | | f cm ² | F _B min N | q kg/m | q kg/m |
| - | TM 20 | 20 | 16 | 12 | 7,95 | 20 | 3,0 | 2,5 | 34 | 1,7 | 25 000 | 2,14 | 2,14 |
| - | TM 25 | 25 | 18 | 15 | 9,95 | 28 | 3,0 | 3,0 | 36 | 2,3 | 31 500 | 2,78 | 2,78 |
| - | TM 30 | 30 | 20 | 17 | 10,95 | 29 | 4,0 | 3,5 | 44 | 3,0 | 40 000 | 4,00 | 4,00 |
| - | TM 35 | 35 | 22 | 18 | 11,95 | 32 | 4,0 | 3,5 | 47 | 3,5 | 50 000 | 4,30 | 4,30 |
| - | TM 40 | 40 | 25 | 20 | 13,91 | 36 | 4,5 | 4,0 | 55 | 4,8 | 63 000 | 5,52 | 5,52 |
| - | TM 45 | 45 | 30 | 23 | 16,91 | 38 | 6,0 | 4,5 | 64 | 7,0 | 80 000 | 6,90 | 6,90 |
| - | TM 50 | 50 | 35 | 26 | 17,91 | 40 | 6,0 | 4,5 | 68 | 8,4 | 100 000 | 7,50 | 7,50 |




Pouzdrové řetězy - pomaloběžné

Bushing chains
 Buchsenketten
 Chaines tubulaires

ČSN 02 3329

CHALLENGE



| Označení řetězu | Rozteč | Plocha kloubu | | | | | | | | | | Hmotnost | | |
|-----------------|--------|---------------|--------------------|--------------------|--------------------|--------------------|-------|--------------------|--------------------|-------|-------|-------------------|----------------------|--------|
| | | p | b ₁ min | b ₂ max | d ₁ max | d ₂ max | g max | s ₁ max | s ₂ max | k max | l max | f cm ² | F _B min N | q kg/m |
| - | TM 55 | 55 | 45 | 62,2 | 28 | 19,88 | 43 | 4,0 | 3,0 | 6,6 | 87 | 12,1 | 125 000 | 10,36 |
| - | TM 60 | 60 | 50 | 71,6 | 32 | 23,88 | 48 | 4,5 | 4,0 | 6,6 | 104 | 16,8 | 160 000 | 15,20 |
| - | TM 65 | 65 | 55 | 76,4 | 36 | 27,88 | 55 | 4,5 | 4,5 | 7,9 | 109 | 21,0 | 200 000 | 18,60 |




Pouzdrové řetězy - pomaloběžné

Bushing chains
 Buchsenketten
 Chaines tubulaires

ČSN 02 3329

CHALLENGE



| Označení řetězu | | Rozeť | | Plocha kloubu | | | | | | | | | | Hmotnost | | |
|-----------------|---------|-------|--|----------------|----------------|----------------|----------------|-----|----------------|----------------|------|-----|------|-----------------|------|------|
| DIN | tovární | p | | b ₁ | b ₂ | d ₁ | d ₂ | g | s ₁ | s ₂ | k | l | f | F _B | q | |
| | | mm | | min | max | max | max | max | max | max | max | max | max | cm ² | min | kg/m |
| - | TM 70 | 70 | | 60 | 86,6 | 40 | 31,84 | 64 | 6,0 | 4,5 | 7,9 | 125 | 27,2 | 250 000 | 27,2 | |
| - | TM 80 | 80 | | 70 | 102,2 | 44 | 33,84 | 74 | 4,5 | 4,5 | 7,9 | 145 | 36,0 | 315 000 | 36,4 | |
| - | TM 90 | 90 | | 80 | 112,7 | 48 | 35,84 | 84 | 4,5 | 4,5 | 7,9 | 158 | 40,0 | 400 000 | 44,2 | |
| - | TM 100 | 100 | | 90 | 122,3 | 52 | 37,84 | 94 | 4,5 | 4,5 | 10,5 | 167 | 45,8 | 500 000 | 50,5 | |

